




SafeGrip Elite

SafeGrip Elite is the ultimate multi-use slip resistant mat designed to withstand extensive foot traffic. SafeGrip Elite can be used in wet areas such as swimming pools, changing and various other sport and leisure facilities, along with industrial, construction and catering establishments where slip hazards exist. The strong, non-porous PVC with channelled underbars automatically self-drain even when faced with large amount of water, oil, grease, or chemicals. The mats embossed surface provides exceptional grip whilst the anti-microbial and anti-fungal additives ensures excellent hygiene. SafeGrip Elite also offers excellent sound absorption properties. Connector clips are available for side or end joining to create the perfect shape or fit.

Features

- Typical applications:** Perfect for all wet environments including industrial sites, swimming pools and therapeutic baths, changing rooms, health resort facilities, hospitals, restrooms, workplaces, kitchens and catering facilities plus, industrial and construction establishments where free draining flooring is needed.
- Material:** Flexible PVC.
- Cleaning:** Regular cleaning will maintain both the effectiveness and lifespan of SafeGrip Elite. SafeGrip Elite can be hand cleaned, machine and steam cleaned. When using SafeGrip Elite for barefoot activity, or when used in Catering environments, we recommend using an alkaline cleaning fluid.
- Sustainability:** 100% recyclable material. REACH compliant.
- Warranty:** Lifetime.



Suitable for indoor and outdoor use

Code	Metric	Imperial	Thickness	Weight	Type	Colour
06-0333-1	60cm x 10m	2' x 33'	11mm	33kg	Roll	Black
06-0333-2	60cm x 10m	2' x 33'	11mm	33kg	Roll	Blue
06-0333-3	60cm x 10m	2' x 33'	11mm	33kg	Roll	Green
06-0333-4	60cm x 10m	2' x 33'	11mm	33kg	Roll	Grey

SafeGrip Elite

Code	Metric	Imperial	Thickness	Weight	Type	Colour
06-0333-5	60cm x 10m	2' x 33'	11mm	33kg	Roll	Red
06-0333-7	80cm x 10m	3' x 33'	11mm	44kg	Roll	Black
06-0333-8	80cm x 10m	3' x 33'	11mm	44kg	Roll	Blue
06-0333-9	80cm x 10m	3' x 33'	11mm	44kg	Roll	Green
06-0333-10	80cm x 10m	3' x 33'	11mm	44kg	Roll	Grey
06-0333-11	80cm x 10m	3' x 33'	11mm	44kg	Roll	Red
06-0333-13	100cm x 10m	3' x 33'	11mm	55kg	Roll	Black
06-0333-14	100cm x 10m	3' x 33'	11mm	55kg	Roll	Blue
06-0333-15	100cm x 10m	3' x 33'	11mm	55kg	Roll	Green
06-0333-16	100cm x 10m	3' x 33'	11mm	55kg	Roll	Grey
06-0333-17	100cm x 10m	3' x 33'	11mm	55kg	Roll	Red
06-0333-19	30mm x 20mm	1" x 1"	10mm	0.01kg	Connector	Black

Please note, all Imperial sizes have either been rounded up or down to the nearest whole number

Technical Specification

Slip resistant:	Great slip resistance to level 2
Anti-fatigue:	Great anti-fatigue properties, resistant to level 2
Wear resistant:	Excellent wear resistance to level 3, suitable for heavy footfall
Water absorbent:	The two-layer construction and channelled underbars allows water to self-drain
Anti-microbial:	Yes, anti-microbial and anti-fungal additives ensure excellent hygiene
Chemical resistant:	Yes, resistant to most acids, alkaline and oils
Connectable:	Yes, mats are connectable to create any shape or fit
Cut to length:	Yes, mat can be cut to length. Interflex also contours to uneven surfaces
Dry area:	Yes
Wet area:	Yes
Oily and greasy area:	Yes
Environment:	Suitable for indoor and outdoor use

SafeGrip Elite

Technical Specification

Flame retardant: Yes

Product testing:

- Slip Resistance - DIN 51097: Classification C
- ASTM F 1677 - Dry/Wet: 0.9/0.7
- Fire: EN13501-1 : 2007 - Cfl - S1

Sustainability:

- 100% recyclable material
- REACH (Registration, Evaluation, Authorisation and Restrictions of Chemicals)

Temperature resistance: -23°C to +60°C

UV resistant: Yes, resistance to PVC degradation

Cleaning:

Regular cleaning will maintain both the effectiveness and lifespan of SafeGrip Elite. SafeGrip Elite can be hand cleaned and machine and steam cleaned. When using SafeGrip Elite for bear foot activity, or when used in Catering environments, we recommend using an alkaline cleaning fluid